

# Technical Specifications – Gallery

## Table of Contents

- 1. General Information:**
  - 1.1. Seating Capacity
  - 1.2. Loading Area
  - 1.3. Floor
  - 1.4. Equipment Set Up & Operation
  - 1.5. Electrical Safety
  - 1.6. Power Supply
  
- 2. Audio & Video:**
  - 2.1. Mixing Console
  - 2.2. Microphones
  - 2.3. Relay System
  - 2.4. Video Equipment

# Technical Specifications – Gallery

## 1. General Information:

### *1.1. Seating Capacity*

Room Dimensions:	18.76m (L) x 6.01m(W) x2.95m (H) (Low Ceiling 2.59m)
Seating Capacity:	80 pax (Conference Style with chairs)
Standing Capacity:	100 pax

- Maximum Capacity 100 pax, if exceed, please discuss with the Production Coordinator for more information.
- Wheelchair Space is available
- Above measurements exclude minimum safety distance clearance (1.5m) from the audience

### *1.2. Loading Area*

Gallery loading area is accessed via service lift located along Bukit Merah Central.

Dock Height from Floor:	3.2m
Service Lift Dimensions:	2.5m(L) x 2.3m(H) x 2.6m(D)
Lift Weight Loading:	4.6 Tonnes

- Service lift is shared by all levels

### *1.3. Floor Specifications*

Carpeted Flooring

### *1.4. Equipment Set Up & Operation*

All in-house equipment, including consoles, will be operated by Gateway Theatre staff. Concessions to this practice may be granted, under special circumstances, through prior consultation. Charges apply to equipment set up and operation.

### *1.5. Electrical Safety*

All electrical equipment brought on site is expected to conform to local codes, be of good quality and good repair. Dubious equipment may be subjected to an Electrical Safety Test and Gateway Theatre reserves the right to disallow its use.

### *1.6. Power Supply*

Local Power Supply:	230 volt single phase
Standard household connector:	13 amp

All equipment which are brought in by Hirers MUST be used together with MELCB - 13 AMP\*

## Technical Specifications – Gallery

### 2. Audio & Video:

#### 2.1. *Mixing Console*

Allen & Heath QU 16

1 unit

#### 2.2. *Microphones \**

Gateway Theatre provides a standard quantity of microphones and transducers. Units may be requested subject to availability:

- Dynamic Microphones
- Condenser Microphones
- Direct Injection Box

#### *Use of wireless system (Wireless Handheld or Head worn)*

- Do consult with the Production Coordinator should you require in-house wireless microphones

#### 2.3. *Relay System*

- Audio Show Relay
- Video Show Relay

- Please check with the Production Coordinator for more information.

#### 2.4. *Video Equipment*

65" LED Video Monitor- LG65UF86

2 units

- Hirers to provide all content for graphics in 1920 x 1080 (Full HD) format. Video clips are to be in mov or mp4 files; JPEG files; Power point files are to be in 16:9 aspects. If there are more than one input sources, hirer is to provide your own switch.