

Technical Specifications – Sky Garden

Table of Contents

1. General Information:

- 1.1. Seating Capacity
- 1.2. Equipment Set Up & Operation
- 1.3. Electrical Safety
- 1.4. Power Supply

2. Audio & Video:

- 2.1. Mixing Console
- 2.2. Microphones & Mic Stands
- 2.3. Relay System

3. Lighting:

- 3.1. Production Lighting
- 3.2. Standard Rig

4. Staging:

- 4.1. Loading Area
- 4.2. Stage Specifications
 - 4.2.1. Stage Dimensions
- 4.3. Rigging Specifications
- 4.4. Riser Platform

Technical Specifications – Sky Garden

1. General Information:

1.1. Seating Capacity

Seating Capacity (Built in Benches):	150 pax
Standing Capacity:	250 pax

- Maximum Capacity 330 pax, if exceed, please discuss with the Production Coordinator for more information.
- Above measurements exclude minimum safety distance clearance (1.5m) from the audience

1.2. Equipment Set Up & Operation

All in-house equipment, including consoles, will be operated by Gateway Theatre staff. Concessions to this practice may be granted, under special circumstances, through prior consultation. Charges apply to equipment set up and operation.

1.3. Electrical Safety

All electrical equipment brought on site is expected to conform to local codes, be of good quality and good repair. Dubious equipment may be subjected to an Electrical Safety Test and Gateway Theatre reserves the right to disallow its use.

1.4. Power Supply

Local Power Supply:	230 volt single phase
Standard overhead fixture connector:	32 amp three phase
	16 amp single phase
Standard household connector:	13 amp

All equipment which are brought in by Hirers MUST be used together with MELCB - 13 AMP *

2. Audio & Video:

2.1. Mixing Console

Allen & Heath QU 16	1 unit
---------------------	--------

*2.2. Microphones **

Gateway Theatre provides a standard quantity of microphones and transducers. Units may be requested subject to availability:

- Dynamic Microphones
- Condenser Microphones
- Direct Injection Box

Use of wireless system (Wireless Handheld or Head worn)

- Do consult with the Production Coordinator should you require in-house wireless microphones

Technical Specifications – Sky Garden

2.3. Relay System

- Audio Show Relay
- Video Show Relay

- Please check with the Production Coordinator for more information.

3. Lighting:

3.1. Production Lighting

Upgrades and other design changes may alter venue specifications over time. This information is subject to change without prior notice. Hirers are urged to ensure they are in possession of the most recent documentation. Specific requirements must be verified on a show-to-show basis.

3.2. Standard Rig

- Please check with the Production Coordinator for more information and layout of drawing

Moving Head

FINE 330 Beam

LED Lights

FINE 1514 DG (Fixed Angle 8 degree)
FINE 372 DG IP66 (Strip Light)
FINE 400T Leko (Tungsten)

4. Staging:

4.1. Loading Area

Sky Terrace loading area is accessed via service lift located along Bukit Merah Central.

Dock Height from Floor:	3.2m
Service Lift Dimensions:	2.5m(L) x 2.3m(H) x 2.6m(D)
Lift Weight Loading:	4.6 Tonnes

- Service lift is shared by all levels

Technical Specifications – Sky Garden

4.2. Stage Specifications

4.2.1. Stage Dimensions

Stage Dimension: 12.8m (L) x 4.4m (W)

4.3. Rigging Specifications

Normal Height from Floor: 6.24m

4.4. Riser Platform *

NIVOflex

Surface Dimension:	2000mm (L) x 1000mm (D)
Surface Material:	Plywood
Overlay:	Carpeted Black
Platform Height (Adjustable):	200mm, 400mm, 600mm, 800mm